



## Ratchet Wrenches

All powerful and reversible, PRO ratchet wrenches are designed for easy access in confined spaces. Get more torque from the PRO Compact

line with its unique composite housing that provides improved ergonomics, thanks to reduced vibrations and greater power-to-weight ratio.



## PRO COMPACT LINE RATCHET WRENCHES

- Composite
- Swivelling air inlet and exhaust
- Adjustable torque
- Good ergonomics

### PRO COMPACT W2300 3/8"

Square drive	3/8" (10 mm)
Capacity	M12
Torque range	5-68 Nm
Speed	150 r/min
Weight	1.2 kg
Length	258 mm
Vibration level	< 2.5 m/s <sup>2</sup>
Sound level	85 dB(A)
Air consumption	7.2 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0350 00</b>



### PRO COMPACT W2301 1/2"

Square drive	1/2" (12.7 mm)
Capacity	M12
Torque range	5-68 Nm
Speed	150 r/min
Weight	1.2 kg
Length	258 mm
Vibration level	< 2.5 m/s <sup>2</sup>
Sound level	85 dB(A)
Air consumption	7.2 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0350 01</b>



### PRO COMPACT W2302 1/4"

Square drive	1/4" (6.3 mm)
Capacity	M8
Torque range	3-30 Nm
Speed	200 r/min
Weight	0.5 kg
Length	195 mm
Vibration level	< 2.5 m/s <sup>2</sup>
Sound level	85 dB(A)
Air consumption	3.4 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0350 04</b>



### PRO COMPACT W2303 3/8"

Square drive	3/8" (10 mm)
Capacity	M8
Torque range	3-30 Nm
Speed	200 r/min
Weight	0.5 kg
Length	195 mm
Vibration level	< 2.5 m/s <sup>2</sup>
Sound level	85 dB(A)
Air consumption	3.4 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0350 03</b>





## RATCHET WRENCHES

### PRO W2200A 3/8"

Square drive	3/8" (10 mm)
Capacity	M10
Torque range	5-40 Nm
Speed	150 r/min
Weight	1.1 kg
Length	264 mm
Vibration level	4.3 m/s <sup>2</sup>
Sound level	88 dB(A)
Air consumption	7.6 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0349 10</b>



### PRO W2201 1/2"

Square drive	1/2" (12.7 mm)
Capacity	M10
Torque range	5-40 Nm
Speed	150 r/min
Weight	1.1 kg
Length	264 mm
Vibration level	4.3 m/s <sup>2</sup>
Sound level	88 dB(A)
Air consumption	7.6 l/s
Suitable air hose	10 mm (3/8")
Air inlet thread	1/4" BSP
<b>Ordering No.</b>	<b>8431 0349 02</b>

